

1. Draw a domain of function  $f(x, y) = \sqrt{\sin(\pi(x^2 + y^2))}$ .
2. Draw a domain of function  $f(x, y, z) = \sqrt{1 - \sqrt{x^2 + y^2} - z} + \sqrt{1 - \sqrt{x^2 + y^2} + z}$
3. Draw a graph of function  $f(x, y) = \sqrt{x^2 + y^2}$
4. Write the first order partial derivatives of the following functions
 
$$f(x, y, z) = e^{\frac{x}{y}} + x^y,$$

$$f(x, y, z) = \sqrt{xy}(3x + 2z)\sqrt{yz}.$$
5. Write the second order partial derivatives of function  $f$  at the point  $A$ :
 
$$f(x, y) = \arctan \frac{x-y}{x+y}, \quad A = [3, 1],$$

$$f(x, y) = (1 + \log_y x)^3, \quad A = [e, e].$$
6. Given functions  $z = \sqrt{x^2 + y^2}$  and  $z = x - 3y + \sqrt{3xy}$  find the angle between their gradients at the point  $[3, 4]$ .
7. Find the direction derivative of function  $f = x^3 - 2x^2y + xy^2 + 1$  at the point  $M = [1, 2]$  along the vector  $\overrightarrow{MN}$ , where  $N = [4, 6]$ .
8. Find the direction derivative of function  $f = e^{x^2+y^2}$  at the point  $[1, 1]$  in direction of a vector  $(2, 1)$ .
9. Determine the equation of the tangent plane to a function  $z = 2x^2 + y^2$  at the point  $[1, 1, ?]$ .
10. Determine the equation of the tangent plane and normal line to a function  $z = \sqrt{x^2 + y^2} - xy$  at the point  $[3, 4, -7]$ .
11. Find order 3 Taylor's polynomial of a function  $f(x, y) = \frac{x}{y}$  at the point  $[1, 1]$ .
12. Determine the order 3 Taylor's polynomial at point  $(0, 0)$  of a function  $f(x, y) = \sin x \cos y$ .
13. Determine local extremals of the following functions:
 
$$f(x, y) = x^3 + xy^2 - 2xy - 5x,$$

$$f(x, y, z) = x^3 + y^2 + z^2 + 12xy + 2z,$$

$$f(x, y, z) = 2x^4 + y^4 - x^2 - 2y^2.$$
14. Find the constrained extremals of functions:
 
$$f(x, y, z) = 6 - 4x - 3y, \text{ satisfying } x^2 + y^2 = 1,$$

$$f(x, y) = \ln(xy), \text{ satisfying } x^2 + y^2 = 2,$$

$$f(x, y) = 6x + 6y \text{ satisfying } x^3 + y^3 = 16.$$

15. Determine the global extremals of the following functions within the given set  $M$ :

$$f(x, y) = x^2 - xy + y^2, \quad M : |x| + |y| \leq 1,$$

$$f(x, y) = y^2 - 2y - e^{-x^2}, \quad M \text{ is a square with vertices } [-1,0], [1,0], [1,2], [-1,2].$$

16. Calculate the following double integrals:

a)  $\iint_{\Omega} e^{\frac{x}{y}} dx dy$  where  $\Omega$  is given by  $x = 0, y = 1, y = 2, y^2 = x$ ,

b)  $\iint_{\Omega} \frac{x}{y^2} dx dy$  where  $\Omega$  is given by  $x = 0, y = 1, y = 2, y^2 = x$ ,

c)  $\iint_{\Omega} \frac{x^2}{y^2} dx dy$ , where  $\Omega$  is given by  $x = 2, y = x, xy = 1$ ,

d)  $\iint_{\Omega} \frac{\ln(x^2 + y^2)}{x^2 + y^2} dx dy$ , where  $\Omega$  is given by  $1 \leq x^2 + y^2 \leq e$ .

17. Calculate the following triple integrals:

a)  $\iiint_{\Omega} dx dy dz$ , where  $\Omega$  is given by  $z = 1, z = 1 - x^2 - y^2$ ,

b)  $\iiint_{\Omega} x^2 dx dy dz$ , where  $\Omega$  is given by  $z = 0, z = 2, x^2 + y^2 = 1$ ,

c)  $\iiint_{\Omega} z dx dy dz$ , where  $\Omega$  is given by  $y = 4, z = 0, z = 3, x^2 - y = 0$ ,

d)  $\iiint_{\Omega} z \sqrt{x^2 + y^2} dx dy dz$ , where  $\Omega$  is given by  $z = 0, z = 3, y \geq 0, x^2 + y^2 - 2x = 0$ ,

e)  $\iiint_{\Omega} dx dy dz$ , where  $\Omega$  is given by  $x^2 + 4y^2 + z^2 \leq 4$ .

18. By transformation into polar coordinates calculate the following double integrals:

a)  $\iint_{\Omega} x^2 + y^2 dx dy$  where  $\Omega$  is given by  $1 \leq x^2 + y^2 \leq 4, |x| \leq y$ ,

b)  $\iint_{\Omega} x^2 dx dy$  where  $\Omega$  is given by  $0 \leq 2y \leq x, x^2 + 4y^2 \leq 4$ ,

c)  $\iint_{\Omega} \arctg \frac{y}{x} dx dy$  where  $\Omega$  is given by  $x > 0, \frac{\sqrt{3}}{3}x \leq y \leq \sqrt{3}x, 1 \leq x^2 + y^2 \leq 9$ .

19. By transformation into cylindric coordinates calculate the following triple integrals:

a)  $\iiint_{\Omega} z dx dy dz$  where  $\Omega$  is given by  $0 \leq z \leq 4 - \sqrt{x^2 + y^2}$ ,

b)  $\iiint_{\Omega} z \sqrt{x^2 + y^2} dx dy dz$  where  $\Omega$  is given by  $z = 0, z = 3, y \geq 0, x^2 + y^2 - 2x = 0$ .

20. By transformation into sphere coordinates calculate the following triple integrals:

a)  $\iiint_{\Omega} \frac{1}{(x^2 + y^2 + z^2)^3} dx dy dz$  where  $\Omega$  is given by  $1 \leq x^2 + y^2 + z^2 \leq 4$ ,

b)  $\iiint_{\Omega} dx dy dz$  where  $\Omega$  is given by  $x^2 + 4y^2 + z^2 \leq 4$ ,

c)  $\iiint_{\Omega} \sqrt{(x^2 + y^2)} dx dy dz$  where  $\Omega$  is given by  $x^2 + y^2 + z^2 \leq z$ ,

21. Calculate  $\iiint_{\Omega} z dx dy dz$ , where  $\Omega$  is given by  $y = 4$ ,  $z = 0$ ,  $z = 3$ ,  $x^2 - y = 0$ .
22. Calculate  $\iiint_{\Omega} z \sqrt{x^2 + y^2} dx dy dz$ , where  $\Omega$  is given by  $z = 0$ ,  $z = 3$ ,  $y \geq 0$ ,  $x^2 + y^2 - 2x = 0$ .
23. Calculate  $\iiint_{\Omega} dx dy dz$ , where  $\Omega$  is given by  $x^2 + 4y^2 + z^2 \leq 4$ .